

Registration No :

--	--	--	--	--	--	--	--	--	--

Total Number of Pages : 02

B.Tech.
PECI5304

6th Semester Back Examination 2017-18
TRANSPORTATION ENGINEERING - II
BRANCH : CIVIL
Time : 3 Hours
Max Marks : 70
Q.CODE : C572

Answer Question No.1 which is compulsory and any five from the rest.
The figures in the right hand margin indicate marks.
Answer all parts of a question at a place.

- Q1 Answer the following questions : (2 x 10)**
- a) What is grade compensation? What is the standard value of compensation for curvature for MG?
 - b) What is bulking of rail? What are the causes of bulking of rail?
 - c) Differentiate between end bound sleeper and centre bound sleeper with figure.
 - d) What are the function of check rail and wing rail?
 - e) Differentiate between cant deficiency and cant excess.
 - f) Calculate the weight of rail required for a locomotive of axle load of 24 tones.
 - g) What is the necessity of rail joint?
 - h) Define Wind Rose diagram?
 - i) Define Calm period.
 - j) How the airports are classified by ICAO.
- Q2 a) Define permanent way, what are the requirements of an ideal permanent way. (5)**
- b) What are the different types of sleeper, briefly explain the advantages and disadvantages of pre-stressed concrete sleeper. (5)**
- Q3 a) A 4-8-2 locomotive is required to haul a train at a speed of 90 kmph. The train is made to run on a straight level track with an axle load of driving wheels of the engine is 22 tonne each. (5)**
- i. Calculate the maximum permissible load that can be pulled by the engine
 - ii. What should be the reduction in speed, if the train has to ascend a slope of 1 in 140 with a 3° curve?
- b) Compare between flat footed and bull headed rails. (5)**
- Q4 a) Find out the length of the transition curve for a B.G. curve track having 4° curvature and a cant of 13 cm. the maximum permissible speed on a curve is 96 kmph. Also calculate the shift of the curve. (5)**
- b) On a B.G. 4° curve, the equilibrium cant is provided for a speed of 85 kmph. (5)**
- i. Calculate the value of Equilibrium Cant.
 - ii. Calculate the value of Theoretical Cant.
 - iii. Calculate the maximum Permissible Speed
- Q5 a) Calculate the elements of 1 in 12 turnout on a straight BG track, when it is given, angle of switch is 1° 8' 15". (5)**
- b) What are the requirements and characteristics of a good crossing? (5)**

Q6 a) The length of the runway for landing and take-off under standard conditions is 2700 m and 2400m respectively. The airport is to be provided at elevation of 450 m above the mean sea level. The airport reference temperature is 34°C. if the runway is to be constructed with an effective gradient of 0.4 %, determine the corrected runway length to be provided as per ICAO and FAA. **(5)**

b) What are the imaginary surfaces? Explain briefly their significance. **(5)**

Q7 a) What are the objects of signaling? Explain the working principle of semaphore signal. **(5)**

b) What are the different types of airport marking? Explain any one. **(5)**

Q8 Write short notes on : (2.5 x 4)

a) Negative superelevation

b) Zoning laws

c) Exit Taxiway

d) Spikes